Technical Data

Magnetic sensors




Series E22


Type designation MEK-E22PS/HP1-KL0,3S8

Item number

6372281157

Wiring Diagram





Identifying characteristics in accordance with EN 60947-5-2

Electrical data		
Magnetic sensitivity		Factory setting 3 mT (south activated)
		adjustable 0,8 mT 27 mT (north / south activated)
Switching element function		DC, N.O., open collector
Repeat accuracy	R	≤ 0,1 mT (constant U _B and ambient air temperature)
Differential travel (hysteresis)	Н	factory setting 0,8 mT; ≥ 0,3 mT adjustable
Operational voltage range	U_B	10 - 30 VDC
Rated insulation voltage	U_{i}	75 VDC
Voltage drop	U_d	< 2 V @ 50 mA
Utilization category		DC-12
Rated operational current	l _e	≤ 50 mA
Leakage current		< 25 μA
No-load supply current	lo	< 10 mA (not actuated)
Switching element		Hall
Short–circuit protection		pulsed
Mounting		from side or from top into a C-Groove
False polarity protection		yes

Electromagnetic compatibility (EMC)		
Electromagnetic field test	IEC 61000-4-3	
Electrostatic discharge test	IEC 61000-4-2	
Electrical fast transient immunity test (Burst)	IEC 61000-4-4	
Conducted disturbances, inducted by high frequency	IEC 61000-4-6	
electromagnetic fields		
Radiated disturbance field strength	EN 55011	

Radiated disturbance field strength	EN 55011
Mechanical data	
Enclosure	GV-5H (PA), black
Ambient air temperature	-20°C +80°C (cable fixed mounted)
Type of protection	IP 67 acc. to IEC 529, EN 60529
	(only in fully locked position with it's plugs)
Function indication	LED, yellow; output activated
Termination type	Cable 0,3 m ± 5 %, PUR-Outer jacket, with plug connector M8
Attachment	1 x setscrew M2 x 3, DIN 913
	1 x allen wrench
	1 x magnetic programming tool
EU Conformity	acc. to Directive 2004 / 108 / EC

This document will not become the contractual basis; the details included herein do not constitute any descriptions of expected conditions, so that warranties/claims for defects on account of possible variations of the actual from the here described condition are excluded. Subject to modifications and amendments.

Date of issue: 25.10.2011 / Page 1 of 1 Document: 6372281157_en.doc / Last update: 1 / 0022-11