



Inductive Sensors with IO-Link Interface

IO-Link

Benefits and features

IO-Link is the first international and manufacturer-independent standardised (IEC61131-9) communication interface that enables consistent communication from the sensor to the PLC.

A point-to-point connection enables not only the transmission of the switching signal, but also parameter, diagnostic, and communication data.

Flexible programming and monitoring



- Sensor output configurable as NO or NC
- Flexible teach-in of the switch-on and switch-off point up to the maximum switching distance of the sensor
- Monitoring of the operating hours and counting of the switching operations since starting the system

Simple commissioning and fast maintenance



- Simple integration into existing connection structures
- No high wiring costs due to use of M8 and M12 standard plug connections and unshielded 3-wire standard cables

Spare parts stock



- Reduction of spare stock due to fast configuration of standard sensors
- Flexible use via SIO and IO-Link mode

Manufacturer and fieldbus independent




- Fieldbus-independent via appropriate IO-Link master
- The standardisation enables manufacturer-independent integration

Self-diagnosis



- Wire breakage or short-circuit are immediately detected by the master
- Critical internal voltages are detected in IO-Link mode





Type	Output	Switching function	Connection	Installation	Switching distance	Article number	Designation
D04	PNP	NC	Cable 2 m	Flush	1 mm	6532799001	KIB-D04PÖ/001-KL2I
D04	PNP	NO	Cable 2 m	Flush	1 mm	6532999001	KIB-D04PS/001-KL2I
M05	PNP	NC	Cable 2 m	Flush	1 mm	6532799002	KIB-M05PÖ/001-KL2I
M05	PNP	NO	Cable 2 m	Flush	1 mm	6532999002	KIB-M05PS/001-KL2I
M05	PNP	NC	Connector M8	Flush	1 mm	6532799003	KIB-M05PÖ/001-KLSM8I
M05	PNP	NO	Connector M8	Flush	1 mm	6532999003	KIB-M05PS/001-KLSM8I
M8	PNP	NO	Connector M8	Flush	1 mm	6532942003	KIB-M08PS/001-KLSM8I
M8	PNP	NC	Connector M8	Flush	1 mm	6532742003	KIB-M08PÖ/001-KLSM8I
M8	PNP	NO	Connector M8	Non-flush	2 mm	6532942004	KIN-M08PS/002-KLSM8I
M8	PNP	NC	Connector M8	Non-flush	2 mm	6532742004	KIN-M08PÖ/002-KLSM8I
M12	PNP	NO	Connector M12	Flush	2 mm	6532943002	KIB-M12PS/002-KLS12I
M12	PNP	NC	Connector M12	Flush	2 mm	6532743002	KIB-M12PÖ/002-KLS12I
M12	PNP	NO	Connector M12	Non-flush	4 mm	6532944002	KIN-M12PS/004-KLS12I
M12	PNP	NC	Connector M12	Non-flush	4 mm	6532744002	KIN-M12PÖ/004-KLS12I
M18	PNP	NO	Connector M12	Flush	5 mm	6532905004	KIB-M18PS/005-KLS12I
M18	PNP	NC	Connector M12	Flush	5 mm	6532705004	KIB-M18PÖ/005-KLS12I
M18	PNP	NO	Connector M12	Non-flush	10 mm	6532906004	KIN-M18PS/008-KLS12I
M18	PNP	NC	Connector M12	Non-flush	10 mm	6532706004	KIN-M18PÖ/008-KLS12I
M30	PNP	NO	Connector M12	Flush	10 mm	6532907004	KIB-M30PS/010-KLS12I
M30	PNP	NC	Connector M12	Flush	10 mm	6532707004	KIB-M30PÖ/010-KLS12I
M30	PNP	NO	Connector M12	Non-flush	20 mm	6532908004	KIN-M30PS/015-KLS12I
M30	PNP	NC	Connector M12	Non-flush	20 mm	6532708004	KIN-M30PÖ/015-KLS12I

All sensors are also available in shortened housing and/or with cable outlet

We are also able to supply you with customised versions.



We make
safety happen.



We keep safe
your visions.

Learn More @
www.altechcorp.com/bernstein/PullSwitches

Contact

Altech Corporation
35 Royal Road
Flemington, NJ 08822-6000
P 908.806.9400 • F 908.806.9490
www.altechcorp.com

Altech Corp.® 582-2000
Printed November 2019

